



Healthy People. Healthy Communities.

S.C. Department of Health and
Environmental Control

Environmental Laboratory Certification Program

In accordance with the provisions of Regulation 61-81, entitled "State Environmental Laboratory Certification Regulations"

**DAVIS & BROWN INC
124 W MCIVER RD
FLORENCE, SOUTH CAROLINA 29501-1515**

is hereby certified to perform analyses as documented on the attached parameter list(s). This certification does not guarantee validity of the data generated, but indicates the laboratory's adherence to prescribed methodology, quality control, records keeping, and reporting procedures. This certificate is the property of S.C. DHEC and must be surrendered upon demand. This certificate is non-transferable and is valid only for the parameters and methodology listed on the attached parameter list(s).

Laboratory Director: WILLIAM SCOTT FIELDS
Certifying Authority: SC
Date of Issue: July 25, 2022
Date of Expiration: January 12, 2025
Certificate Number: 21117001

Program Manager
Office of Environmental Laboratory Certification

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM**

DAVIS & BROWN INC (Laboratory ID 21117)
Laboratory Director: WILLIAM SCOTT FIELDS
Certifying Authority: SC
Certificate Number: 21117001

Date of Issue: July 25, 2022
Expiration Date: January 12, 2025

CLEAN WATER ACT

INORGANIC - DEMAND

BIOCHEMICAL OXYGEN DEMAND(BOD)	SM 5210 B-2016	5 DAY DO DEPLETION
CARBONACEOUS BOD	SM 5210 B-2016	5 DAY DO DEPLETION
CHEMICAL OXYGEN DEMAND (COD)	EPA 410.4 (1993)	SPECTROPHOTOMETRIC, MANUAL OR AUTOMATED
DISSOLVED OXYGEN	HACH 10360 (2011)	LUMINESCENCE BASED SENSOR
DISSOLVED OXYGEN	SM 4500-O G-2016	ELECTRODE
TOTAL ORGANIC CARBON (TOC)	SM 5310 B-2014	HIGH TEMPERATURE COMBUSTION (TOC)

INORGANIC - MINERAL

ALKALINITY	SM 2320 B-2011	TITRIMETRIC
CHLORIDE	EPA 300.0 (1993)	ION CHROMATOGRAPHY
HYDROGEN-ION CONC. (PH)	SM 4500-H B-2011	ELECTROMETRIC MEASUREMENT
SPECIFIC CONDUCTANCE	SM 2510 B-2011	CONDUCTANCE AT 25 DEGREES C
SULFATE	EPA 300.0 (1993)	ION CHROMATOGRAPHY

INORGANIC - MISCELLANEOUS

CYANIDE, TOTAL	SM 4500-CN B,C-2016	SAMPLE PRETREATMENT, MANUAL DISTILLATION
CYANIDE, TOTAL	SM 4500-CN E-2016	SPECTROPHOTOMETRIC (MANUAL)
OIL & GREASE	EPA 1664B (2010)	OIL & GREASE - HEM/SGT-HEM
PHENOLICS, TOTAL RECOVERABLE	EPA 420.1 (1978)	MANUAL DISTILLATION WITH COLORIMETRIC(4AAP)
RESIDUAL CHLORINE	SM 4500-CL G-2011	DPD COLORIMETRIC METHOD
SULFIDE	SM 4500-S2 F-2011	TITRIMETRIC (IODINE)
TEMPERATURE	SM 2550 B-2010	THERMOMETRIC

INORGANIC - NUTRIENT

AMMONIA-NITROGEN	SM 4500-NH3 B-2011	DISTILLATION
AMMONIA-NITROGEN	SM 4500-NH3 D-2011	ELECTRODE
KJELDAHL-NITROGEN	SM 4500-NH3 B-2011	DISTILLATION
KJELDAHL-NITROGEN	SM 4500-NH3 D-2011	ELECTRODE
NITRATE-NITROGEN	EPA 300.0 (1993)	ION CHROMATOGRAPHY
NITRITE-NITROGEN	EPA 300.0 (1993)	ION CHROMATOGRAPHY
PHOSPHORUS	SM 4500-P B(5)-2011	DIGESTION
PHOSPHORUS	SM 4500-P E-2011	ASCORBIC ACID (MANUAL SINGLE REAGENT)
TOTAL ORGANIC NITROGEN	EPA TKN-NH3-N	TOTAL KJELDAHL-N MINUS AMMONIA-N

INORGANIC - RESIDUE

RESIDUE, FILTERABLE (TDS)	SM 2540 C-2015	GRAVIMETRIC (180)
---------------------------	----------------	-------------------

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM**

**DAVIS & BROWN INC (Laboratory ID 21117)
Laboratory Director: WILLIAM SCOTT FIELDS
Certifying Authority: SC
Certificate Number: 21117001**

**Date of Issue: July 25, 2022
Expiration Date: January 12, 2025**

CLEAN WATER ACT

INORGANIC - RESIDUE

RESIDUE, NONFILTERABLE (TSS)	SM 2540 D-2015	GRAVIMETRIC 103-105
RESIDUE, TOTAL (TS)	SM 2540 B-2015	GRAVIMETRIC 103-105
RESIDUE, VOLATILE (VS)	EPA 160.4 (1979)	GRAVIMETRIC (550)
TOTAL, FIXED & VOLATILE SOLIDS	SM 2540G (18TH)	PERCENT SOLIDS FOR BIOSOLIDS

INORGANIC - TRACE METAL

ALUMINUM	EPA 200.7 (1994)	ICP/AES
ANTIMONY	EPA 200.7 (1994)	ICP/AES
ANTIMONY	SM 3113 B-2010	AA FURNACE
ARSENIC	EPA 200.7 (1994)	ICP/AES
ARSENIC	SM 3113 B-2010	AA FURNACE
BARIUM	EPA 200.7 (1994)	ICP/AES
BERYLLIUM	EPA 200.7 (1994)	ICP/AES
BORON	EPA 200.7 (1994)	ICP/AES
CADMIUM	EPA 200.7 (1994)	ICP/AES
CADMIUM	SM 3113 B-2010	AA FURNACE
CALCIUM	EPA 200.7 (1994)	ICP/AES
CHROMIUM	EPA 200.7 (1994)	ICP/AES
CHROMIUM	SM 3113 B-2010	AA FURNACE
CHROMIUM, HEXAVALENT	SM 3500-CR B-2011	COLORIMETRIC (DIPHENYLCARBAZIDE)
COBALT	EPA 200.7 (1994)	ICP/AES
COPPER	EPA 200.7 (1994)	ICP/AES
COPPER	SM 3113 B-2010	AA FURNACE
IRON	EPA 200.7 (1994)	ICP/AES
LEAD	EPA 200.7 (1994)	ICP/AES
LEAD	SM 3113 B-2010	AA FURNACE
MAGNESIUM	EPA 200.7 (1994)	ICP/AES
MANGANESE	EPA 200.7 (1994)	ICP/AES
MOLYBDENUM	EPA 200.7 (1994)	ICP/AES
NICKEL	EPA 200.7 (1994)	ICP/AES
POTASSIUM	EPA 200.7 (1994)	ICP/AES
SAMPLING FOR LOW-LEVEL METALS	EPA 1669 (1996)	SAMPLING FOR LOW-LEVEL METALS
SELENIUM	EPA 200.7 (1994)	ICP/AES
SELENIUM	SM 3113 B-2010	AA FURNACE
SILVER	EPA 200.7 (1994)	ICP/AES
SILVER	SM 3113 B-2010	AA FURNACE
SODIUM	EPA 200.7 (1994)	ICP/AES
THALLIUM	EPA 279.2 (1978)	AA FURNACE
VANADIUM	EPA 200.7 (1994)	ICP/AES

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM**

**DAVIS & BROWN INC (Laboratory ID 21117)
Laboratory Director: WILLIAM SCOTT FIELDS
Certifying Authority: SC
Certificate Number: 21117001**

**Date of Issue: July 25, 2022
Expiration Date: January 12, 2025**

CLEAN WATER ACT

INORGANIC - TRACE METAL

ZINC	EPA 200.7 (1994)	ICP/AES
------	------------------	---------

MICROBIOLOGY

BIOSOLIDS PREPARATION E.COLI (MPN) FECAL COLIFORM (MPN) FECAL COLIFORM (MPN)	EPA/625/R-92/013 APP F SM 9223 B-2016 COLILERT-18 (2010) SM 9221-C E-2014	SLUDGE ANALYSIS PREPARATION COLILERT/COLILERT-18 MULTIPLE WELL MULTIPLE TUBE FERMENTATION
---	--	--

SAFE DRINKING WATER ACT

INORGANIC - DEMAND

TOTAL AND DISSOLVED ORGANIC CARBON	SM 5310 B-2014	HIGH TEMPERATURE COMBUSTION (TOC)
------------------------------------	----------------	-----------------------------------

INORGANIC - MINERAL

ALKALINITY CHLORIDE FLUORIDE HYDROGEN-ION CONC. (PH) SPECIFIC CONDUCTANCE SULFATE	SM 2320 B-2011 EPA 300.0 (1993) SM 4500-F C-2011 SM 4500-H B-2011 SM 2510 B-2011 EPA 300.0 (1993)	TITRIMETRIC ION CHROMATOGRAPHY ELECTRODE (MANUAL) ELECTROMETRIC MEASUREMENT CONDUCTANCE AT 25 DEGREES C ION CHROMATOGRAPHY
--	--	---

INORGANIC - MISCELLANEOUS

COLOR RESIDUAL CHLORINE TEMPERATURE TURBIDITY	SM 2120 B-2011 SM 4500-CL G-2011 SM 2550 B-2010 EPA 180.1 (1993)	VISUAL - PLATINUM COBALT DPD COLORIMETRIC METHOD THERMOMETRIC NEPHELOMETRIC
--	---	--

INORGANIC - NUTRIENT

NITRATE-NITROGEN NITRITE-NITROGEN ORTHOPHOSPHATE	EPA 300.0 (1993) EPA 300.0 (1993) SM 4500-P E-2011	ION CHROMATOGRAPHY ION CHROMATOGRAPHY ASCORBIC ACID (MANUAL SINGLE REAGENT)
--	--	---

INORGANIC - RESIDUE

RESIDUE, FILTERABLE (TDS)	SM 2540 C-2015	GRAVIMETRIC (180)
---------------------------	----------------	-------------------

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM**

DAVIS & BROWN INC (Laboratory ID 21117)
Laboratory Director: WILLIAM SCOTT FIELDS
Certifying Authority: SC
Certificate Number: 21117001

Date of Issue: July 25, 2022
Expiration Date: January 12, 2025

SAFE DRINKING WATER ACT

INORGANIC - TRACE METAL

ALUMINUM	EPA 200.7 (1994)	ICP/AES
ANTIMONY	SM 3113 B-2010	AA FURNACE
ARSENIC	SM 3113 B-2010	AA FURNACE
BARIUM	EPA 200.7 (1994)	ICP/AES
BERYLLIUM	EPA 200.7 (1994)	ICP/AES
CADMIUM	EPA 200.7 (1994)	ICP/AES
CADMIUM	SM 3113 B-2010	AA FURNACE
CALCIUM	EPA 200.7 (1994)	ICP/AES
CHROMIUM	EPA 200.7 (1994)	ICP/AES
COPPER	EPA 200.7 (1994)	ICP/AES
COPPER	SM 3113 B-2010	AA FURNACE
IRON	EPA 200.7 (1994)	ICP/AES
LEAD	SM 3113 B-2010	AA FURNACE
MAGNESIUM	EPA 200.7 (1994)	ICP/AES
MANGANESE	EPA 200.7 (1994)	ICP/AES
NICKEL	EPA 200.7 (1994)	ICP/AES
SELENIUM	SM 3113 B-2010	AA FURNACE
SILVER	EPA 200.7 (1994)	ICP/AES
SILVER	SM 3113 B-2010	AA FURNACE
SODIUM	EPA 200.7 (1994)	ICP/AES
ZINC	EPA 200.7 (1994)	ICP/AES

MICROBIOLOGY

E. COLI CONFIRMATION	SM 9222 G-2015	EC + MUG
HETEROTROPHIC BACTERIA	SM 9215 B-2016	POUR PLATE METHOD
TOTAL COLIFORM (MF)	SM 9222 B-1997	MEMBRANE FILTRATION
TOTAL COLIFORM/E.COLI	SM 9223 B-2016	COLILERT/COLILERT-18
TOTAL COLIFORM/E.COLI(MPN)	SM 9223 B-2016	COLILERT/COLILERT-18

SOLID & HAZARDOUS WASTES

INORGANIC - DEMAND

TOTAL ORGANIC CARBON (TOC)	EPA 9060A (2004)	CARBONACEOUS ANALYZER
----------------------------	------------------	-----------------------

INORGANIC - HAZARDOUS WASTE CHARACTERISTICS

TCLP - BOTTLE EXTRACTION	EPA 1311 (1992)	TOXICITY CHARACTERISTIC LEACHING PROCEDURE
--------------------------	-----------------	--

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM**

**DAVIS & BROWN INC (Laboratory ID 21117)
Laboratory Director: WILLIAM SCOTT FIELDS
Certifying Authority: SC
Certificate Number: 21117001**

**Date of Issue: July 25, 2022
Expiration Date: January 12, 2025**

SOLID & HAZARDOUS WASTES

INORGANIC - MINERAL

CHLORIDE	EPA 9056A (2007)	ION CHROMATOGRAPHY
HYDROGEN-ION CONC. (PH)	EPA 9040C (2004)	ELECTROMETRIC
HYDROGEN-ION CONC. (PH)	EPA 9045D (2004)	SOIL AND WASTE
SULFATE	EPA 9056A (2007)	ION CHROMATOGRAPHY

INORGANIC - MISCELLANEOUS

PAINT FILTER LIQUIDS TEST	EPA 9095B (2004)	FILTRATION
---------------------------	------------------	------------

INORGANIC - NUTRIENT

NITRATE-NITROGEN	EPA 9056A (2007)	ION CHROMATOGRAPHY
NITRITE-NITROGEN	EPA 9056A (2007)	ION CHROMATOGRAPHY

INORGANIC - TRACE METAL

ALUMINUM	EPA 6010D (2018)	ICP/AES
ANTIMONY	EPA 6010D (2018)	ICP/AES
ANTIMONY	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
ARSENIC	EPA 6010D (2018)	ICP/AES
ARSENIC	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
BARIUM	EPA 6010D (2018)	ICP/AES
BERYLLIUM	EPA 6010D (2018)	ICP/AES
BORON	EPA 6010D (2018)	ICP/AES
CADMIUM	EPA 6010D (2018)	ICP/AES
CADMIUM	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
CALCIUM	EPA 6010D (2018)	ICP/AES
CHROMIUM	EPA 6010D (2018)	ICP/AES
CHROMIUM	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
CHROMIUM, HEXAVALENT	EPA 7196A (1992)	COLORIMETRIC
COBALT	EPA 6010D (2018)	ICP/AES
COPPER	EPA 6010D (2018)	ICP/AES
IRON	EPA 6010D (2018)	ICP/AES
LEAD	EPA 6010D (2018)	ICP/AES
LEAD	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
MAGNESIUM	EPA 6010D (2018)	ICP/AES
MANGANESE	EPA 6010D (2018)	ICP/AES
METALS DIGESTION	EPA 3005A (1992)	AQUEOUS ACID DIGESTION TOTAL OR DISSOLVED METALS FLAA OR ICP
METALS DIGESTION	EPA 3010A (1992)	AQUEOUS ACID DIGESTION TOTAL METALS FLAA OR ICP
METALS DIGESTION	EPA 3015A (2007)	AQUEOUS MICROWAVE ACID DIGESTION TOTAL METALS FLAA OR ICP

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM**

DAVIS & BROWN INC (Laboratory ID 21117)
Laboratory Director: WILLIAM SCOTT FIELDS
Certifying Authority: SC
Certificate Number: 21117001

Date of Issue: July 25, 2022
Expiration Date: January 12, 2025

SOLID & HAZARDOUS WASTES

INORGANIC - TRACE METAL

METALS DIGESTION	EPA 3020A (1992)	AQUEOUS ACID DIGESTION TOTAL METALS GFAA
METALS DIGESTION	EPA 3050B (1996)	SOLID ACID DIGESTION
METALS DIGESTION	EPA 3051A (2007)	NON-AQUEOUS MICROWAVE ACID DIGESTION
METALS DIGESTION	EPA 3060A (1996)	ALKALINE DIGESTION HEX CHROM
MOLYBDENUM	EPA 6010D (2018)	ICP/AES
NICKEL	EPA 6010D (2018)	ICP/AES
POTASSIUM	EPA 6010D (2018)	ICP/AES
SELENIUM	EPA 6010D (2018)	ICP/AES
SELENIUM	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
SILVER	EPA 6010D (2018)	ICP/AES
SILVER	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
THALLIUM	EPA 7010 (2007)	GRAPHITE FURNACE AA SPECTROPHOTOMETRY
VANADIUM	EPA 6010D (2018)	ICP/AES
ZINC	EPA 6010D (2018)	ICP/AES